



Help Your Growing Facility Flourish with IMPs

Hydroponic growing uses 60–90 percent less water than conventional growing methods, and can produce 50 percent higher yield in half the space. However, it is of the utmost importance to maintain an optimal internal environment to generate the best results.

In an industry where being environmentally conscious while maximizing yield is critical, growing facilities require an envelope solution to accommodate both production and efficiency. Metl-Span® insulated metal panels (IMPs) help to ensure a consistent temperatureand humidity-controlled interior environment, while Metl-Span's ThermalSafe® fire resistant panels offer an ideal solution for fire protection in the facility's corridors and hallways.

Metl-Span ThermalSafe panels are composed of an advanced mineral wool core, providing enhanced insulating values to lower heating and cooling costs while achieving a one-, two- and three-hour fire resistance rating for non-load bearing walls.

For more information on how Metl-Span® can optimize your next growing facility, visit **metlspan.com/markets**. To discuss your next project, call **877.585.9969**.

Metl-Span IMP Benefits:

Design Flexibility – Feature impermeable faces and built-in thermal breaks to ensure the highest insulating values and temperature/humidity controls

USDA-Compliant – Come in a wide variety of colors and finishes that are USDA compliant to enhance food growth and reflectivity inside

Ease of Installation – Are lightweight yet strong, to help your facility get up and running quickly with a one-step construction process

Washdowns – Facilitate the washdown process and keep crops fresh by eliminating gaps and seams where mold typically grows





PRODUCT SPECIFICATIONS

WIDTH: 42"

THICKNESS: NOMINAL 3"1, 4", 5", 6", 7", 8"

LENGTH: NON-DRIECTIONAL EMBOSSED


8'-0" to 40'-0", variable by thickness;

contact Metl-Span for exact maximum length for each thickness

 $\begin{array}{c} \textbf{EXTERIOR PROFILE:} \hspace{0.1 cm} Ultra-Light \hspace{0.1 cm} Mesa, \hspace{0.1 cm} Santa \hspace{0.1 cm} Fe \hspace{0.1 cm} or \hspace{0.1 cm} Light \hspace{0.1 cm} Striated, \hspace{0.1 cm} nominal \hspace{0.1 cm} \emph{y}_{32}"\\ \hspace{0.1 cm} deep, \hspace{0.1 cm} embossed \end{array}$

FIRE RATINGS: One-, two-, and three-hour for wall. 90 minute for ceiling

U-FACTOR ² (BTU/h•ft ² •F°)		R-VALUE ² (h•ft ² •F°/BTU)		
PANEL WIDTH: 36"		PANEL WIDTH: 36"		
	75°		75°	
3"	0.0923	3"	10.83	
4"	0.0654	4"	15.29	
5"	0.0529	5"	18.90	
6"	0.0444	6"	22.51	
7"	0.0383	7"	26.12	
8"	0.0336	8"	29.73	



PRODUCT SPECIFICATIONS

WIDTH: 30", 36", 42"

THICKNESS: 2", 21/2", 3", 4", 5", 6"

LENGTH: NON-DRIECTIONAL EMBOSSED


8'-0" TO 32'-0" for Horizontal 8'-0" TO 52'-0" for Vertical UNEMBOSSED 8'-0" TO 16'-0" for Horizontal 8'-0" TO 40'-0" for Vertical

EXTERIOR PROFILE: Longitudinal corrugations spaced at nominal 4" on center, nominal ½" deep, embossed or unembossed

U-FACTOR² (BTU/h•ft²•F°)

R-VALUE² (h•ft²•F°/BTU)

PANEL WIDTH: 42"			PANEL WIDTH: 42"		
	75°	40°		75°	40°
2"	0.0706	0.0669	2"	14.16	14.95
21/2"	0.0516	0.0491	21⁄2"	19.38	20.37
3"	0.0424	0.0401	3"	23.58	24.94
4"	0.0324	0.0305	4"	30.86	32.79
5"	0.0264	0.0248	5"	37.88	40.32
6"	0.0224	0.0210	6"	44.64	47.62



PRODUCT SPECIFICATIO

WIDTH: 30"3, 36", 42"

THICKNESS: 2", 21/2", 3", 4", 5", 6"

LENGTH: NON-DRIECTIONAL EMBOSSED


9'-6" to 53'-0"; contact Metl-Span for custom length availability

EXTERIOR PROFILE: 2" high standing seam with a Mesa profile between the seams, embossed

U-FACTOR² (BTU/h•ft²•F°)

R-VALUE² (h•ft²•F°/BTU)

PANEL WIDTH: 42"		PANEL WIDTH: 42"		
	75°		75°	
2"	0.0600	2"	16.67	
21/2"	0.0490	21/2"	20.41	
3"	0.0414	3"	24.15	
4"	0.0318	4"	31.45	
5"	0.0257	5"	38.91	
6"	0.0217	6"	46.08	



PRODUCT SPECIFICATIONS

WIDTH: 42"

THICKNESS: 2", 21/2", 2 3/4"4, 3", 4", 5", 6"

LENGTH: NON-DRIECTIONAL EMBOSSED

8'-0" to 32'-0" for Horizontal 8'-0" to 52'-0" for Vertical

EXTERIOR PROFILE: 1" wide, nominal 3/8" deep, longitudinal reveals at 8.4" on center, embossed

U-FACTOR² (BTU/h•ft²•F°)

R-VALUE² (h•ft²•F°/BTU)

PANEL WIDTH: 42"			PANEL WIDTH: 42"			
		75°	40°		75°	40 °
	2"	0.0721	0.0692	2"	13.87	14.45
	21/2"	0.0523	0.0498	21⁄2"	19.12	20.08
	3"	0.0432	0.0410	3"	23.15	24.39
	4"	0.0328	0.0311	4"	30.49	32.15
	5"	0.0267	0.0252	5"	37.45	39.68
	6"	0.0226	0.0214	6"	44.25	46.73

¹No hourly rating available. ²Based on ASTM C518, ASTM C1363 and thermal modeling, 75° F core mean temp. ³Available only from Texas plant. ⁴Available only from Nevada plant.

For more product specifications and additional profile options, visit metIspan.com.

©2020 Metl-Span, a Nucor® company. All rights reserved.

