



REFER TO SHEET "CI-INFO" FOR ADDITIONAL INFORMATION REGARDING THE APPLICATION OF SEALANTS, FASTENERS, AND CLOSURE MATERIALS. CONSULT METL-SPAN TO DETERMINE ALLOWABLE LOAD AND SPACING OF ATTACHMENT FASTENERS.

ROOF THICKNESS TR	EAVE TRIM	GUTTER	ROOF CLIP	ROOF CLIP FASTENER TEK III	ROOF CLIP FASTENER TEK V	ROOF CLIP FASTENER TYPE B	WALL THICKNESS TW	WALL CLIP FASTENER TEK III	WALL CLIP FASTENER TEK V	WALL CLIP FASTENER TYPE B
2"	F3415	F3420	4102GNC	1616PNC	1724PNC	1816PNC	2"	1616PNC	1724PNC	1816PNC
2.5"	F3415	F3420	4125GNC	1616PNC	1724PNC	1816PNC	2.5"	1624PNC	1732PNC	1824PNC
3"	F3415	F3420	4103GNC	1616PNC	1724PNC	1816PNC	3"	1624PNC	1732PNC	1824PNC
4"	F3416	F3421	4104GNC	1616PNC	1724PNC	1816PNC	4"	1632PNC	1740PNC	1832PNC
5"	F3416	F3421	4105GNC	1616PNC	1724PNC	1816PNC	5"	1640PNC	1748PNC	1840PNC
6"	F3417	F3422	4106GNC	1616PNC	1724PNC	1816PNC	6"	1648PNC	1756PNC	1848PNC

COMMERCIAL AND INDUSTRIAL

CFR LOW EAVE DETAIL WITH STANDARD GUTTER

CI-CFR-EV-G3

DATE: Nov. 9, 2016