

HPD UNIQUE IDENTIFIER: 26252

CLASSIFICATION: 07 42 13.19 Insulated Metal Wall Panels

PRODUCT DESCRIPTION: Insulated metal wall panels are comprised of an advanced urethane core sandwiched two pre-finished hot dipped galvanized steel panels, forming a single, all-in-one unit. The result is the most thermally efficient panel available. Finished panels are mounted to the buildings framework - outboard of the structural supports - providing continuous insulation with no thermal bridges for maximum thermal efficiency. Foam-core insulated metal wall panels sold under the Metl-Span brand including: CF Architectural, CF Striated, CF Flute, CF Mesa, CF Light Mesa, CF Partition, LS-36 Wall, 7.2 Insul-Rib, Tuff Wall, Tuff Cast, CF Santa Fe, HPCI Barrier

Section 1: Summary

Nested Method / Material Threshold

CONTENT INVENTORY

<p>Inventory Reporting Format</p> <p><input checked="" type="radio"/> Nested Materials Method</p> <p><input type="radio"/> Basic Method</p> <p>Threshold Disclosed Per</p> <p><input checked="" type="radio"/> Material</p> <p><input type="radio"/> Product</p>	<p>Threshold Level</p> <p><input type="radio"/> 100 ppm</p> <p><input type="radio"/> 1,000 ppm</p> <p><input type="radio"/> Per GHS SDS</p> <p><input checked="" type="radio"/> Other</p>	<p>Residuals/Impurities</p> <p><input type="radio"/> Considered</p> <p><input checked="" type="radio"/> Not Considered</p> <p>Explanation(s) provided for Residuals/Impurities?</p> <p><input checked="" type="radio"/> Yes <input type="radio"/> No</p>	<p><i>All Substances Above the Threshold Indicated Are:</i></p> <p>Characterized <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>% weight and role provided for all substances.</i></p> <p>Screened <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>All substances screened using Priority Hazard Lists with results disclosed.</i></p> <p>Identified <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>All substances disclosed by Name (Specific or Generic) and Identifier.</i></p>
--	--	--	---

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

STEEL [STEEL (STEEL) NoGS] POLYURETHANE FOAMS [POLYURETHANE FOAMS (POLYURETHANE FOAMS) LT-UNK] ZINC [ZINC (ZINC) LT-P1 | END | MUL | AQU | PHY] TITANIUM DIOXIDE [TITANIUM DIOXIDE (TITANIUM DIOXIDE) LT-1 | CAN | END] POLYVINYLIDENE FLUORIDE (1, 1-DIFLUOROETHENE) [POLYVINYLIDENE FLUORIDE (1,1-DIFLUOROETHENE HOMOPOLYMER) (POLYVINYLIDENE FLUORIDE (1,1-DIFLUOROETHENE HOMOPOLYMER)) LT-UNK] POLYESTER [POLYESTER (POLYESTER) NoGS]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

n/a

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: VOC Emissions

LCA: Environmental Product Declaration (EPD)

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

Yes

No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2021-10-18

PUBLISHED DATE: 2021-10-18

EXPIRY DATE: 2024-10-18

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

STEEL

#: 57.5000 - 82.5000

MATERIAL THRESHOLD: Per OSHA MSDS

RESIDUALS AND IMPURITIES CONSIDERED: No

MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: There are no known residuals or impurities and there are none listed on their MSDS.

OTHER MATERIAL NOTES: Includes alloying metals with the following CAS numbers: 1309-37-1, 1314-62-1, 1314-13-2, 7439-96-5, 7440-47-3, 7440-21-3, 7440-02-0, 7440-62-2. The amount of steel used per panel unit area is the same; however the relative amount varies due to the variation in foam core thickness (anywhere from 2- to 6-inches).

STEEL (STEEL)

ID: 12597-69-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2021-10-18 19:18:46

#: 57.5000 - 82.5000

GS: NoGS

RC: Both

NANO: No

SUBSTANCE ROLE: Alloy element

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

POLYURETHANE FOAMS

#: 17.0000 - 42.0000

MATERIAL THRESHOLD: Per OSHA MSDS

RESIDUALS AND IMPURITIES CONSIDERED: No

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: There are no known residuals or impurities and there are none listed on their MSDS.

OTHER MATERIAL NOTES: The variability in polyurethane foam content is due to the variation in panel core thickness (anywhere from 2- to 6-inches). Thickness is determined by application needs.

POLYURETHANE FOAMS (POLYURETHANE FOAMS)

ID: 9009-54-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2021-10-18 19:18:46

#: 17.0000 - 42.0000

GS: LT-UNK

RC: None

NANO: No

SUBSTANCE ROLE: Insulator

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

ZINC

#: 0.2000 - 0.4000

MATERIAL THRESHOLD: Per OSHA MSDS

RESIDUALS AND IMPURITIES CONSIDERED: No

MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: There are no known residuals or impurities and there are none listed on their MSDS.

ZINC (ZINC)

ID: 7440-66-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-10-18 19:18:47**%: **0.1000 - 0.3000**GS: **LT-P1**RC: **None**NANO: **No**SUBSTANCE ROLE: **Galvanizing**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
AQU	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
PHY	EU - GHS (H-Statements)	H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]
PHY	EU - GHS (H-Statements)	H260 - In contact with water releases flammable gases which may ignite spontaneously [Substances and mixtures which, in contact with water, emit flammable gases - Category 1]

SUBSTANCE NOTES:

TITANIUM DIOXIDE%: **0.0900 - 0.1600**MATERIAL THRESHOLD: Per OSHA
MSDSRESIDUALS AND IMPURITIES
CONSIDERED: NoMATERIAL TYPE: Other: Coil pre-coat component
(pigment)

RESIDUALS AND IMPURITIES NOTES: There are no known residuals or impurities and there are none listed on their MSDS.

OTHER MATERIAL NOTES:

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-10-18 19:18:47**

%: **0.0200 - 0.0700** GS: **LT-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Pigment**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
CAN	EU - GHS (H-Statements)	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]

SUBSTANCE NOTES:

POLYVINYLIDENE FLUORIDE (1, 1-DIFLUOROETHENE)

%: **0.0000 - 0.2300**

MATERIAL THRESHOLD: **Per OSHA MSDS** RESIDUALS AND IMPURITIES CONSIDERED: **No** MATERIAL TYPE: **Polymeric Material**

RESIDUALS AND IMPURITIES NOTES: **There are no known residuals or impurities and there are none listed on their MSDS.**

OTHER MATERIAL NOTES:

**POLYVINYLIDENE FLUORIDE (1,1-DIFLUOROETHENE HOMOPOLYMER)
(POLYVINYLIDENE FLUORIDE (1,1-DIFLUOROETHENE
HOMOPOLYMER))**

ID: 24937-79-9

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-10-18 19:18:48**

#: **0.0000 - 0.0800** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Coating**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

POLYESTER

#: **0.0000 - 0.1600**

MATERIAL THRESHOLD: Per OSHA MSDS RESIDUALS AND IMPURITIES CONSIDERED: **No** MATERIAL TYPE: **Polymeric Material**

RESIDUALS AND IMPURITIES NOTES: There are no known residuals or impurities and there are none listed on their MSDS.

OTHER MATERIAL NOTES:

POLYESTER (POLYESTER)

ID: 113669-95-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-10-18 19:18:48**

#: **0.0000 - 0.0600** GS: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Coating**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	VOC Emissions		
CERTIFYING PARTY: Self-declared	ISSUE DATE: 2021-10-	EXPIRY DATE:	CERTIFIER OR LAB: N/A
APPLICABLE FACILITIES: All	18		
CERTIFICATE URL:			
CERTIFICATION AND COMPLIANCE NOTES: Neither panels nor sealant have been tested in accordance with CDPH Standard Method for VOC emissions or similar test.			

LCA	Environmental Product Declaration (EPD)		
CERTIFYING PARTY: Third Party	ISSUE DATE: 2019-07-	EXPIRY DATE: 2024-	CERTIFIER OR LAB: UL
APPLICABLE FACILITIES: All	01	07-01	Environment
CERTIFICATE URL: https://spot.ul.com/main-app/products/detail/5cba1dfc55b0e889748932de?page_type=Products%20Catalog			
CERTIFICATION AND COMPLIANCE NOTES:			

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

Insulated metal wall panels are comprised of an advanced urethane core sandwiched two pre-finished hot dipped galvanized steel panels, forming a single, all-in-one unit. The result is the most thermally efficient panel available. Finished panels are mounted to the buildings framework - outboard of the structural supports - providing continuous insulation with no thermal bridges for maximum thermal efficiency.

Foam-core insulated metal wall panels sold under the Metl-Span brand including: CF Architectural, CF Striated, CF Flute, CF Mesa, CF Light Mesa, CF Partition, LS-36 Wall, 7.2 Insul-Rib, Tuff Wall, Tuff Cast, CF Santa Fe, HPCI Barrier

MANUFACTURER INFORMATION

MANUFACTURER: Metl-Span
ADDRESS: 1720 Lakepointe Drive
 Suite 101
 Lewisville Texas 75057, USA
WEBSITE: www.metlspan.com

CONTACT NAME: Amanda Storer
TITLE: Marketing Brand Manager
PHONE: 972.221.6656
EMAIL: ajstorer@metlspan.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
BM-2 Benchmark 2 (use but search for safer substitutes)	
BM-1 Benchmark 1 (avoid - chemical of high concern)	
BM-U Benchmark Unspecified (due to insufficient data)	
LT-P1 List Translator Possible 1 (Possible Benchmark-1)	NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.